

# Master Index to Volumes 1–10

- Abbott, J.P.**, An efficient algorithm for the determination of certain bifurcation points 4 (1) (1978) 19–27
- Abdelmalek, N.N.**, Computer program for the discrete linear restricted Chebyshev approximation (Algorithm 21) 7 (2) (1981) 141–150
- Abdrabbo, N.A.**, A new approach to the problem of estimating spectral parameters of non-stationary time series models 5 (2) (1979) 125–129
- Abdrabbo, N.A. and Mattar, A.**, A CUSUM test for detecting change in the transfer functions of open loop stochastic systems 4 (2) (1978) 147–154
- Aberth, O.**, A method for exact computation with rational numbers 4 (4) (1978) 285–288
- Adler, R.J.**, see **Wu, C.L.** 1 (1) (1975) 25–37
- Adler, R.J.**, see **Wu, C.L.** 2 (3) (1976) 169–185
- Agarwal, R.P.**, The numerical solution of multipoint boundary value problems 5 (1) (1979) 17–24
- Agarwal, R.P.**, On periodic solutions of nonlinear second order differential systems 5 (2) (1979) 117–123
- Agarwal, R.P.**, Contraction and approximate contraction with an application to multi-point boundary value problems 9 (4) (1983) 315–325
- Agarwal, R.P. and Akrivis, G.**, Boundary value problems occurring in plate deflection theory 8 (3) (1982) 145–154
- Agarwal, R.P. and Chow, Y.M.**, Iterative methods for a fourth order boundary value problem 10 (2) (1984) 203–217
- Akl, S.G.**, On the expected number of optimal and near-optimal solutions to the Euclidean travelling salesman problem (Short Communication) 7 (4) (1981) 287–288
- Akrivis, G.**, see **Agarwal, R.P.** 8 (3) (1982) 145–154
- Alaylioglu, A.**, Numerical evaluation of finite Fourier integrals 9 (4) (1983) 305–313
- Al-Mutib, A.N.**, Stability properties of numerical methods for solving delay differential equations 10 (1) (1984) 71–79
- Alt, R.**, A-stable one-step methods with step-size control for stiff systems of ordinary differential equations 4 (1) (1978) 29–35
- Andrade, C. and McKee, S.**, High accuracy A.D.I. methods for fourth order parabolic equations with variable coefficients 3 (1) (1977) 11–14
- Anglesio, J.D. and Troesch, B.A.**, High precision results for a two-point boundary value problem 6 (2) (1980) 99–103
- Ansari, J.S.**, A theorem on asymptotic behaviour of functional equations and its applications 2 (1) (1976) 35–39
- Arimizu, T.**, see **Sagara, N.** 8 (3) (1982) 209–212
- Ascher, U. and Rosen, J.B.**, A collocation method for parabolic quasilinear problems on general domains 5 (3) (1979) 183–191
- Avdelas, G., Evans, D.J. and Hadjidimos, A.**, Second order Chebyshev semi-iteration in connection with  $p$ -parametric E.A.D.I. schemes 7 (4) (1981) 261–266
- Avdelas, G., Galanis, S. and Hadjidimos, A.**, Three-level extrapolated alternating direction implicit (E.A.D.I.) methods for the numerical solution of two-dimensional second order elliptic problems 5 (4) (1979) 269–275
- Avdelas, G. and Hadjidimos, A.**, Analytical eigenvalue bounds for matrices arising when discretizing the self-adjoint second order elliptic partial differential equations 4 (3) (1978) 207–211
- Axelsson, O.**, High-order methods for parabolic problems 1 (1) (1975) 5–16

- Axelsson, O. and Steihaug, T.**, Some computational aspects in the numerical solution of parabolic equations 4 (2) (1978) 129–142
- Aziz, A. and Na, T.Y.**, A numerical scheme for unsteady flow of a viscous fluid between elliptic plates 7 (2) (1981) 115–119
- Balas, E. and Berghaller, C.**, Benders's method revisited 9 (1) (1983) 3–12
- Barakat, M.F.A.**, On the product solutions of Storm–Liouville equations with many parameters in a space of the type  $L_2$  9 (4) (1983) 327–331
- Baratella, P., Garetto, M. and Vinardi G.**, Approximation of the Bessel function  $J_\nu(x)$  by numerical integration 7 (2) (1981) 87–91
- Barnett, A.R.**, High-precision evaluation of the regular and irregular Coulomb wavefunctions 8 (1) (1982) 29–33
- Barrodale, I. and Wilson, K.B.**, A Fortran program for solving a nonlinear equation by Muller's method (Algorithm 12) 4 (2) (1978) 159–166
- Baumel, R.T., Gammel, J.L. and Nuttall, J.**, Placements of cuts in Padé-like approximation 7 (2) (1981) 135–140
- Behforooz, G.H. and Papamichael, N.**, End conditions for interpolatory cubic splines with unequally spaced knots 6 (1) (1980) 59–65
- Beirlant, J., Dudewicz, E.J. and Meulen, E.C. van der**, Complete statistical ranking of populations, with tables and applications 8 (3) (1982) 187–201
- Bekiroglu, H. and McRoberts, K.L.**, Mathematical analysis of a shuttle system based on two interdependent queues 2 (3) (1976) 195–206
- Bellen, A.**, One-step collocation for delay differential equations 10 (3) (1984) 275–283
- Benson, A. and Evans, D.J.**, A normalised algorithm for the solution of symmetric general five-term linear systems of semi-bandwidth  $M$  (Algorithm 16) 5 (4) (1979) 299–304
- Berghaller, C.**, see Balas, E.
- Berkey, D.D. and Freedman, M.I.**, A perturbation method applied to the buckling of a compressed elastica 4 (3) (1978) 213–221
- Bhattacharjee, G.P. and Majumder, K.L.**, Multivariate interval interpolation 4 (4) (1978) 295–300
- Bickart, Th.A.**,  $F$ -stable and  $F(\alpha, \beta)$ -stable integration/interpolation methods in the solution of retarded differential-difference equations 8 (4) (1982) 279–284
- Bierbaum, F. and Schwierz, K.-P.**, A bibliography on interval-mathematics (Bibliography 7) 4 (1) (1978) 59–86
- Bignami, A. and Cupini, E.**, A Monte Carlo method for finite difference equations of elliptic type in a multiregion domain 8 (2) (1982) 87–92
- Biringen, S.**, A note on the numerical stability of the convection-diffusion equation 7 (1) (1981) 17–20
- Boor, C. de and Höllig, K.**, Bivariate box splines and smooth pp functions on a three direction mesh 9 (1) (1983) 13–28
- Borgh, R. van der**, A numerical study of non-linear convection in a compressible medium 6 (4) (1980) 283–294
- Bowman, K.O.**, see Shenton, L.R.
- Bowman, K.O.**, see Shenton, L.R.
- Bowman, K.O.**, see Shenton, L.R.
- Bowman, K.O., Lam, H.K. and Shenton, L.R.**, Bounds for the expectation of the  $k$ th root of a random variable 10 (2) (1984) 229–244
- Bowman, K.O., Lam, H.K. and Shenton, L.R.**, Bounds for certain integrals 10 (2) (1984) 245–254
- Bowman, K.O. and Shenton, L.R.**, A new algorithm for summing divergent series. Part 2: A two-component Borel summability model 2 (4) (1976) 259–266
- Bowman, K.O. and Shenton, L.R.**, Asymptotic series and Stieltjes continued fractions for a gamma function ratio 4 (2) (1978) 105–111
- Bowman, K.O. and Shenton, L.R.**, Continued fractions and the polygamma functions 9 (1) (1983) 29–39

- Branders, M.**, see **Piessens, R.** 1 (3) (1975) 153–164
- Branders, M.** and **Piessens, R.**, An extension of Clenshaw–Curtis quadrature (Algorithm 1) 1 (1) (1975) 55–65
- Breesch, P.**, **Kerf, J.L.F. de** and **Goovaerts, M.J.**, A note on the numerical evaluation of integrals over strongly oscillating functions 1 (1) (1975) 47–49
- Brezinski, C.**, Computation of Padé approximants and continued fractions 2 (2) (1976) 113–123
- Brezinski, C.**, Recursive interpolation, extrapolation and projection 9 (4) (1983) 359–376
- Broeder, G. den**, Between Newton and Cauchy: the diagonal variable metric method; theory and test results 6 (4) (1980) 267–273
- Broom, M.A.** and **Hopkins, T.R.**, Peripheral and ADI hopscotch methods for two dimensional parabolic and elliptic equations with a mixed term 9 (3) (1983) 239–245
- Brown, D.R.** and **O'Malley, M.J.**, The role of eigenvalues in linear feature selection theory 3 (4) (1977) 243–249
- Bruin, M.G. de**, An algorithm for calculating generalized continued fractions 4 (3) (1978) 177–179
- Bruin, M.G. de**, New convergence results for continued fractions generated by four-term recurrence relations 9 (3) (1983) 271–278
- Brunner, H.**, A survey of recent advances in the numerical treatment of Volterra integral and integro-differential equations (Bibliography 13) 8 (3) (1982) 213–229
- Bultheel, A.**, Remark on “A new look at the Padé table and different methods for computing its elements” (Short Communication) 5 (1) (1979) 67
- Bultheel, A.**, Division algorithms for continued fractions and the Padé table 6 (4) (1980) 259–266
- Bultheel, A.**, Recursive relations for block Hankel and Toeplitz systems. Part I: Direct recursions 10 (3) (1984) 301–328
- Bultheel, A.**, Recursive relations for block Hankel and Toeplitz systems. Part II: Dual recursions 10 (3) (1984) 329–354
- Burley, D.M.**, see **Crane, C.M.** 2 (2) (1976) 95–111
- Burniston, E.E.**, see **Siewert, C.E.** 2 (1) (1976) 19–21
- Burniston, E.E.** and **Siewert, C.E.**, On the solution of certain algebraic equations 4 (1) (1978) 37–39
- Cahlon, B.**, see **Westreich, D.** 5 (2) (1979) 111–115
- Cahlon, B.**, Numerical solution of non-linear Volterra integral equations 7 (2) (1981) 121–128
- Calvo, M.** and **Mar Quemada, M.**, On the stability of rational Runge–Kutta methods 8 (4) (1982) 289–292
- Campbell, J.B.**, The solution by fast Fourier transforms of Laplace's equation in a toroidal region with a rectangular cross-section 6 (2) (1980) 89–92
- Chan, C.** and **Klassen, M.**, A performance comparison study between subroutine packages LINSYS, IBMSSP and IMSL for solving systems of linear equations 1 (2) (1975) 111–113
- Chatterjee, A.K.** and **Debnath, L.**, Nonlinear mathematical model of the junction of tidal rivers 2 (1) (1976) 13–18
- Chatterjee, A.K.** and **Debnath, L.**, Nonlinear mathematical model of inhomogeneous tidal rivers 4 (3) (1978) 223–227
- Chawla, M.M.** and **Katti, C.P.**, Finite difference methods for a class of two-point boundary value problems with mixed boundary conditions 6 (3) (1980) 189–196
- Chawla, M.M.** and **Katti, C.P.**, A new symmetric five-diagonal finite difference method for computing eigenvalues of fourth-order two-point boundary value problems (Short Communication) 8 (2) (1982) 135–136
- Chawla, M.M.** and **Sharma, S.R.**, Absolute stability of explicit Runge–Kutta–Nyström methods for  $y'' = f(x, y, y')$  10 (2) (1984) 163–168
- Chen, T.H.C.**, Asymptotic estimates for the generalized Fourier coefficients 10 (1) (1984) 1–5
- Chihara, T.S.**, On generalized Stieltjes–Wigert and related orthogonal polynomials 5 (4) (1979) 291–297
- Chin, R.C.Y.**, On the matched asymptotic solution of the Troesch problem 7 (3) (1981) 181–185

- Chisholm, J.S.R., Genz, A.C and Pusterla, M.,** A method for computing Feynman amplitudes with branch cuts 2 (2) (1976) 73–76
- Chow, E.-P.,** see **Jeffreson, C.P.** 4 (1) (1978) 53–58
- Chow, Y.M.,** see **Agarwal, R.P.** 10 (2) (1984) 203–217
- Christov, N.D.,** see **Konstantinov, M.M.** 6 (1) (1980) 27–35
- Chu, M.T.,** An automatic multistep method for solving stiff initial value problems 9 (3) (1983) 229–238
- Chuang, C.I.,** see **Drachman, B.** 7 (3) (1981) 167–171
- Claessens, G.,** A new look at the Padé table and the different methods for computing its elements 1 (3) (1975) 141–152
- Claessens, G.,** A generalization of the QD algorithm 7 (4) (1981) 237–247
- Claessens, G. and Wuytack, L.,** On the computation of non-normal Padé approximants 5 (4) (1979) 283–289
- Clegg, D.B.,** On Newton's method with a class of rational functions 7 (2) (1981) 93–100
- Cole, F.,** Forecasting by exponential smoothing, the Box and Jenkins procedure and spectral analysis. A simulation study 6 (1) (1980) 53–58
- Cole, R.J.,** see **Pescatore, C.** 6 (3) (1980) 197–199
- Coleman, J.P.,** A "refined Born approximation" and Aitken's  $\Delta^2$  method 4 (2) (1978) 101–103
- Collier, J.,** see **Greenspan, D.** 4 (4) (1978) 235–257
- Cook, A.E. and Gibson, R.D.,** Fifth and sixth order PECE algorithms based on g-splines with improved stability characteristics 3 (2) (1977) 85–87
- Corliss, G. and Lowery, D.,** Choosing a stepsize for Taylor series methods for solving ODE's 3 (4) (1977) 251–256
- Crane, C.M. and Burley, D.M.,** Numerical studies of laminar flow in ducts and pipes 2 (2) (1976) 95–111
- Cruysen, P. van der,** Discussion of algorithms for the computation of generalized continued fractions 8 (3) (1982) 179–186
- Cubillos, P.O.,** Integral operators with Green's function type kernel 10 (1) (1984) 25–31
- Cupini, E.,** see **Bignami, A.** 8 (2) (1982) 87–92
- Cuyvers, L.,** see **Meeusen, W.** 1 (3) (1975) 185–203
- Dahiya, R.S.,** Computation of  $n$ -dimensional Laplace transforms 3 (3) (1977) 185–188
- Dahmen, W. and Micchelli, C.A.,** On the optimal approximation rates for criss-cross finite element spaces 10 (3) (1984) 255–273
- Dang, N.D.P.** see **Piessens, R.** 2 (3) (1976) 225–228
- Danloy, B.,** On the choice of signs for Householder's matrices (Short Communication) 2 (1) (1976) 67–69
- Day, J.D. and Murthy, D.N.P.,** An  $L(\alpha)$ -stable fourth order Rosenbrock method with error estimator 8 (1) (1982) 21–27
- Day, J.D. and Murthy, D.N.P.,** A comparison of some ODE solvers which require Jacobian evaluations 9 (3) (1983) 213–219
- Debnath, L.,** see **Chatterjee, A.K.** 2 (1) (1976) 13–18
- Debnath, L.,** see **Chatterjee, A.K.** 4 (3) (1978) 223–227
- Dekker, K.,** Generalized Runge–Kutta methods for coupled systems of hyperbolic differential equations 3 (4) (1977) 221–233
- Deville, M. and Labrosse, G.,** An algorithm for the evaluation of multidimensional (direct and inverse) discrete Chebyshev transforms (Algorithm 23) 8 (4) (1982) 293–304
- Devooght, J.,** Analytic continuation by reproducing kernel methods combined with Padé approximations 2 (4) (1976) 231–239
- Dey, S.K.,** Perturbed iterative solution of nonlinear equations with applications to fluid dynamics 3 (1) (1977) 15–30
- Dey, S.K.,** Perturbed iterative solution of coupled nonlinear systems with application to fluid dynamics 4 (2) (1978) 117–128

- D'Hooge, L.**, see **Pril, N. de** 2 (1) (1976) 55–62
- Dick, E.**, Local modal analysis of unsteady discrete systems with nodal equations of unequal form 8 (1) (1982) 63–67
- Dick, E.**, Overrelaxation methods for hybrid systems of first order partial differential equations 8 (4) (1982) 267–274
- Dierckx, P.**, An algorithm for smoothing, differentiation and integration of experimental data using spline functions (Algorithm 3) 1 (3) (1975) 165–184
- Dierckx, P.**, An algorithm for least-squares fitting of cubic spline surfaces to functions on a rectilinear mesh over a rectangle (Algorithm 8) 3 (2) (1977) 113–129
- Dierckx, P.** and **Piessens, R.**, Calculation of Fourier coefficients of discrete functions using cubic splines 3 (3) (1977) 207–209
- D'Oliveira, A.B.**, see **Gerck, E.** 6 (1) (1980) 81–82
- Doncker, E. de**, see **Roose, D.** 7 (3) (1981) 203–224
- Doncker, E. de** and **Piessens, R.**, A bibliography on automatic integration (Bibliography 5) 2 (4) (1976) 273–280
- Dooren, P. van** and **Ridder, L. de**, An adaptive algorithm for numerical integration over an  $n$ -dimensional cube (Algorithm 6) 2 (3) (1976) 207–217
- Dormand, J.R.**, see **Prince, P.J.** 7 (1) (1981) 67–75
- Dormand, J.R.** and **Prince, P.J.**, A family of embedded Runge–Kutta formulae 6 (1) (1980) 19–26
- Drachman, B.** and **Chuang, C.I.**, A table of two hundred zeros of the derivative of the modified Bessel function  $K_n(z)$  and a graph of their distribution 7 (3) (1981) 167–171
- Dreyer, T.P.** and **Murray, D.M.**, The numerical solution of the pre-elimination models of cable configurations 10 (1) (1984) 81–91
- Dudewicz, E.J.**, see **Beirlant, J.** 8 (3) (1982) 187–201
- Dunham, C.B.**, Chebyshev approximation by exponential-polynomial sums 5 (1) (1979) 53–57
- Dunham, C.B.**, A survey of published programs for best approximation (Bibliography 9) 5 (2) (1979) 141–143
- Dunham, C.B.**, A Fortran program for discrete nonlinear Chebyshev approximation (Algorithm 18) 6 (3) (1980) 241–245
- Dunham, C.B.**, Weighted discrete nonlinear Chebyshev approximation (Short Communication) 8 (2) (1982) 133
- Dunham, C.B.**, The linear inequality method for rational approximation with interpolation (Letter) 10 (3) (1984) 383
- Dyck, D. van**, **Ridder, R. de** and **Sitter, J. de**, The most storage economical Runge–Kutta methods for the solution of large systems of coupled first-order differential equations (Short Communication) 6 (1) (1980) 83–85
- Ebert, U.**, Computation of optimal radiation treatment plans 3 (2) (1977) 99–104
- Eiermann, M.**, On the convergence of Padé-type approximants to analytic functions 10 (2) (1984) 219–227
- Einarsson, B.**, Solving a system of linear inequalities for generating test data 3 (4) (1977) 269–271
- Einarsson, B.**, Bibliography on the evaluation of numerical software (Bibliography 10) 5 (2) (1979) 145–159
- Evans, D.J.**, Computation of eigenvalues and eigenvectors of a symmetric quindagonal matrix (Algorithm 9) 3 (2) (1977) 131–141
- Evans, D.J.**, see **Avdelas, G.** 7 (4) (1981) 261–266
- Evans, D.J.**, see **Benson, A.** 5 (4) (1979) 299–304
- Evans, D.J.** and **Fatunla, S.O.**, A linear multistep numerical integration scheme for solving systems of ordinary differential equations with oscillatory solutions 3 (4) (1977) 235–241
- Evans, D.J.** and **Okolie, S.O.**, The numerical solution of an elliptic P.D.E. with periodic boundary conditions in a rectangular region by the spectral resolution method 8 (4) (1982) 237–242

- Evans, N.T.S. and Gourlay, A.R.**, Implementation of the "hopscotch" technique in the numerical solution of diffusion problems 5 (1) (1979) 47- 52
- Fatunlal, S.O.**, see **Evans, D.J.** 3 (4) (1977) 235-241
- Ford, C.H.**, see **Neta, B.** 10 (1) (1984) 33- 38
- Forsyth, Jr., P. and Rasmussen, H.**, High order perturbation solution of the electrochemical smoothing problem 6 (1) (1980) 37- 42
- Freedman, M.I.**, see **Berkey, D.D.** 4 (3) (1978) 213-221
- Freedman, M.I. and Kaplan, J.L.**, Use of a non-linear clock in the perturbation analysis of time optimal control problems 1 (4) (1975) 219-228
- Fukushima, M.**, On the convergence of a class of outer approximation algorithms for convex programs 10 (2) (1984) 147-156
- Fukushima, M.**, see **Sagara, N.** 10 (2) (1984) 157-161
- Funcheon, M.J.**, see **Phelps, III, J.S.** 10 (2) (1984) 135-139
- Gabutti, B.**, On the generalization of a method for computing Bessel function integrals (Short Communication) 6 (2) (1980) 167-168
- Galanis, S.**, see **Avdelas, G.** 5 (4) (1979) 269-275
- Gallagher, N.C.**, see **Wise, G.L.** 7 (3) (1981) 157-160
- Galperin, A. and Waksman, Z.**, A separable integer programming problem equivalent to its continual version 7 (3) (1981) 173-179
- Gammel, J.L.**, see **Baumel, R.T.** 7 (2) (1981) 135-140
- Garetto, M.**, see **Baratella, P.** 7 (2) (1981) 87- 91
- Garibotti, C.R. and Grinstein, F.F.**, Recent results relevant to the evaluation of infinite series 9 (3) (1983) 193-200
- Garloff, J. and Schwierz, K.-P.**, A bibliography on interval mathematics (Bibliography 11) 6 (1) (1980) 67- 79
- Genz, A.C.**, A nonlinear method for the acceleration of the convergence of multidimensional sequences 3 (3) (1977) 181-184
- Genz, A.C.**, see **Chisholm, J.S.R.** 2 (2) (1976) 73- 76
- Genz, A.C. and Malik, A.A.**, Remarks on algorithm 006: An adaptive algorithm for numerical integration over an  $N$ -dimensional rectangular region (Algorithm 19) 6 (4) (1980) 295-302
- Gerber, H.U., Goovaerts, M.J. and Pril, N. de**, The Wiener process with drift between a linear retaining and an absorbing barrier 7 (4) (1981) 267-269
- Gerck, E. and D'Oliveira, A.B.**, Continued fraction calculation of the eigenvalues of tridiagonal matrices arising from the Schrödinger equation (Short Communication) 6 (1) (1980) 81- 82
- Gibson, R.D.**, see **Cook, A.E.** 3 (2) (1977) 85- 87
- Giordano, C. and Laforgia, A.**, Elementary approximations for zeros of Bessel functions 9 (3) (1983) 221-228
- Givens, C.R. and Lo, C.Y.**, Series expansions of solutions of  $u_{xx} + (2\nu/x)u + \varepsilon^2 u_{tt} = u_t$  10 (1) (1984) 7- 23
- Glasser, M.L.**, On some integrals arising in mathematical physics 10 (3) (1984) 293-299
- Goel, R.**, see **Jain, R.K.** 9 (4) (1983) 361-367
- Goel, R.**, see **Kambo, N.S.** 9 (1) (1983) 81- 90
- Goethem, P. van**, see **Goovaerts, M.J.** 4 (2) (1978) 93-100
- Goovaerts, M.J.**, see **Breesch, P.** 1 (1) (1975) 47- 49
- Goovaerts, M.J.**, see **Gerber, H.U.** 7 (4) (1981) 267-269
- Goovaerts, M.J.**, see **Pril, N. de** 2 (1) (1976) 55- 62
- Goovaerts, M.J.**, see **Vylder, F. de** 8 (2) (1982) 121-126

- Goovaerts, M.J. and Goethem, P. van**, On a Berry–Esseen theorem for compound Poisson processes 4 (2) (1978) 93–100
- Gourlay, A.R.**, see **Evans, N.T.S.** 5 (1) (1979) 47–52
- Gourlay, A.R. and McKee, S.**, The construction of hopscotch methods for parabolic and elliptic equations in two space dimensions with a mixed derivative 3 (3) (1977) 201–206
- Gourlay, A.R. and McKee, S.**, Hopscotch methods for elliptic partial differential equations 5 (2) (1979) 103–110
- Gourlay, A.R. and Morris, J.L.**, Locally one-dimensional hopscotch methods 4 (4) (1978) 269–273
- Graney, L.**, The numerical solution of unstable two points boundary value problems 3 (3) (1977) 173–180
- Graney, L. and Richardson, A.A.**, The numerical solution of non-linear partial differential equations by the method of lines 7 (4) (1981) 229–236
- Graves-Morris, P.R.**, A generalised Q.D. algorithm (Short Communication) 6 (3) (1980) 147–249
- Graves-Morris, P.R.**, The convergence of ray sequences of Padé approximants of Stieltjes functions 7 (3) (1981) 191–201
- Graves-Morris, P.R.**, Symmetrical formulas for rational interpolants (Short Communication) 10 (1) (1984) 107–111
- Graves-Morris, P.R. and Hughes Jones, R.**, An analysis of two variable rational approximants 2 (1) (1976) 41–48
- Greenspan, D.**, Computer studies of interactions of particles with differing masses 3 (3) (1977) 145–154
- Greenspan, D.**, A new computer approach to the modelling of atoms, ions and molecules. Part I: Hydrogen 7 (1) (1981) 41–49
- Greenspan, D.**, A new computer approach to the modelling of atoms and molecules. Part II: The oxygen molecule  $O_2$  7 (2) (1981) 129–133
- Greenspan, D. and Collier, J.**, Computer studies of planetary-type evolution 4 (4) (1978) 235–257
- Gretton, H.W. and Jukes, K.A.**, Computations of Tauberian constants connected with equiconvergence and the quadratfrei numbers 5 (1) (1979) 25–27
- Greydanus, J. and Rasmussen, H.**, Numerical solution of Rayleigh–Taylor instability problem 9 (2) (1983) 97–103
- Gribble, J.D.**, Inner product quadrature formulas exact on maximal product spaces of functions 8 (2) (1982) 73–79
- Griffiths, D.F.**, see **Mitchell, A.R.** 6 (3) (1980) 219–228
- Grinstein, F.F.**, see **Garibotti, C.R.** 9 (3) (1983) 193–200
- Groen, P.P.N. de**, A finite element method with a large mesh-width for a stiff two-point boundary value problem 7 (1) (1981) 3–15
- Grosjean, C.C.**, The orthogonality property of the Lommel polynomials and a twofold infinity of relations between Rayleigh's  $\sigma$ -sums 10 (3) (1984) 355–382
- Gwinner, J.**, Bibliography on non-differentiable optimization and non-smooth analysis (Bibliography 12) 7 (4) (1981) 277–285
- 
- Hadjidimos, A.**, see **Avdelas, G.** 4 (3) (1978) 207–211
- Hadjidimos, A.**, see **Avdelas, G.** 5 (4) (1979) 269–275
- Hadjidimos, A.**, see **Avdelas, G.** 7 (4) (1981) 261–266
- Haegemans, A.**, see **Nerinckx, D.** 2 (2) (1976) 145–148
- Haegemans, A.**, see **Piessens, R.** 1 (2) (1975) 79–83
- Hallet, P.**, see **Mund, E.H.** 1 (4) (1975) 279–288
- Hamacher, H.**, Optimal cocircuits in regular matroids and applications 8 (3) (1982) 171–177
- Hanson, R.J.**, Computing an interior point for inequalities using linear optimization (Short Communication) 5 (1) (1979) 69–70
- Hautot, A. and Magnus, A.**, Calculation of the eigenvalues of Schrödinger equations by an extension of Hill's method 5 (1) (1979) 3–15

- Hebsaker, H.-M.**, Conditions for the coefficients of Runge–Kutta methods for systems of  $n$ -th order differential equations 8 (1) (1982) 3– 14
- Hellemans, P.**, A numerical solution of the Cauchy problem based on trigonometric interpolation (Short Communication) 8 (4) (1982) 305–306
- Hemker, P.W.**, A note on defect correction processes with an approximate inverse of deficient rank (Short Communication) 8 (2) (1982) 137–139
- Hennart, J.P.**, see **Mund, E.H.** 1 (4) (1975) 279–288
- Hennessy, T.R.**, A comparative approach to Laplace transform inversion 4 (2) (1978) 89– 91
- Henrici, P.**, Pointwise error estimates for trigonometric interpolation and conjugation 8 (2) (1982) 131–132
- Herbst, B.M., Mitchell, A.R. and Schoombie, S.W.**, Equidistributing principles in moving finite element methods 9 (4) (1983) 377–389
- Hermann, M.**, The numerical treatment of perturbed bifurcation problems in ordinary differential equations 9 (1) (1983) 71– 80
- Hirdes, U.**, see **Honig, G.** 10 (1) (1984) 113–132
- Höllig, K.**, see **Boor, C. de** 9 (1) (1983) 13– 28
- Honig, G. and Hirdes, U.**, A method for the numerical inversion of Laplace transforms (Algorithm 27) 10 (1) (1984) 113–132
- Hopkins, T.R.**, On the sensitivity of the coefficient of Padé approximants with respect to their defining power series coefficients 8 (2) (1982) 105–109
- Hopkins, T.R.**, see **Broom, M.A.** 9 (3) (1983) 239–245
- Hoskins, W.D., Meek, D.S. and Walton, D.J.**, A rapidly convergent method for the solution of the matrix equation  $XA + AY = F$  (Algorithm 10) 3 (3) (1977) 211–215
- Hosny, E.A. and Sobhy, M.I.**, An algorithm for the calculation of transfer functions of two variable systems or networks 8 (3) (1982) 159–164
- Hough, D.M.**, see **Papamichael, N.** 9 (2) (1983) 155–166
- Houstis, E.N.**, The complexity of numerical methods for elliptic partial differential equations 4 (3) (1978) 191–197
- Houwen, P.J. van der and Sommeijer, B.P.**, Stability in linear multistep methods for pure delay equations 10 (1) (1984) 55– 63
- Houwen, P.J. van der, Sommeijer, B.P. and Verwer, J.G.**, Comparing time integrators for parabolic equations in two space dimensions with a mixed derivative 5 (2) (1979) 73– 83
- Houwen, P.J. van der and Vries, H.B. de**, A fourth order ADI method for semidiscrete parabolic equations 9 (1) (1983) 41– 63
- Howes, F.A.**, An analytic treatment of the formation of one-dimensional steady shock waves in uniform and diverging ducts 10 (2) (1984) 195–201
- Hughes Hallett, A.J.**, Alternative techniques for solving systems of nonlinear equations 8 (1) (1982) 35– 48
- Hughes Hallett, A.J.**, Second-order iterations with guaranteed convergence 10 (3) (1984) 285–291
- Hughes Jones, R.**, see **Graves-Morris, P.R.** 2 (1) (1976) 41– 48
- Huntley, E.**, see **Zinober, A.S.I.** 6 (4) (1980) 253–258
- Husain, A.**, see **Murty, B.S.N.** 9 (4) (1983) 299–304
- Husain, A.**, see **Reddy, P.J.** 1 (4) (1975) 255–265
- 
- Ikeuchi, M.**, see **Niki, H.** 8 (1) (1982) 15– 19
- Ikeuchi, M.**, see **Niki, H.** 8 (4) (1982) 257–266
- Ikeuchi, M., Kobayashi, H., Sawami, H. and Niki, H.**, On the spectral radius of the Jacobi iteration matrix for a rectangular region with two different media 5 (4) (1979) 247–258
- Ioakimidis, N.I.**, One more approach to the computation of Cauchy principal value integrals (Short Communication) 7 (4) (1981) 289–291



- Ioakimidis, N.I.**, On the quadrature methods for the numerical solution of singular integral equations 8 (2) (1982) 81–86
- Iserles, A.**, A-acceptable exponentially fitted combinations of three Padé approximations 4 (2) (1978) 143–146
- Jablonski, A.**, A Monte Carlo algorithm for solving systems of non-linear equations 6 (3) (1980) 171–175
- Jain, M.K. and Saldanha, J.S.V.**, Higher order difference methods for second order two-point boundary-value problems 4 (3) (1978) 199–206
- Jain, R.K.**, see **Kambo, N.S.** 9 (1) (1983) 81–90
- Jain, R.K., Kambo, N.S. and Goel, R.**, High-order one-step P-stable methods for the numerical integration of periodic initial value problems 9 (4) (1983) 361–367
- Jeffreson, C.P. and Chow, E.-P.**, Least squares coefficients for a quadrature formula for Laplace transform inversion 4 (1) (1978) 53–58
- Jesanis, M.E.**, see **Papatheodorou, T.S.** 6 (1) (1980) 3–8
- Johnson, R.C.**, Interpolation by local space curves 3 (2) (1977) 79–84
- Jones, W.B. and Magnus, A.**, Computation of poles of two-point Padé approximants and their limits 6 (2) (1980) 105–119
- Jones, W.B., Njåstad, O. and Thron, W.J.**, Two-point Padé expansions for a family of analytic functions 9 (2) (1983) 105–123
- Jukes, K.A.**, see **Gretton, H.W.** 5 (1) (1979) 25–27
- Kambo, N.S.**, see **Jain, R.K.** 9 (4) (1983) 361–367
- Kambo, N.S., Jain, R.K. and Goel, R.**, A fourth order method for  $y'' = f(x, y, y')$  9 (1) (1983) 81–90
- Kammler, D.W.**, A perturbation analysis of the intrinsic conditioning of an approximate null vector computed with a SVD 9 (3) (1983) 201–204
- Kammler, D.W. and McGlinn, R.J.**, A bibliography for approximation with exponential sums (Bibliography 8) 4 (2) (1978) 167–173
- Kaplan, J.L.**, see **Freedman, M.I.** 1 (4) (1975) 219–228
- Katti, C.P.**, see **Chawla, M.M.** 6 (3) (1980) 189–196
- Katti, C.P.**, see **Chawla, M.M.** 8 (2) (1982) 135–136
- Kerf, J.L.F. de**, The interpolation method of Sprague–Karup 1 (2) (1975) 101–110
- Kerf, J.L.F. de**, A bibliography on fuzzy sets (Bibliography 2) 1 (3) (1975) 205–212
- Kerf, J.L.F. de**, see **Breesch, P.** 1 (1) (1975) 47–49
- Kiessling, I. and Paulik, A.**, A norm-reducing Jacobi-like algorithm for the eigenvalues of non-normal matrices 8 (3) (1982) 203–207
- Klassen, M.**, see **Chan, C.** 1 (2) (1975) 111–113
- Klein, A.**, An explicit expression for the discrete-time fixed-lag smoothing equation 8 (2) (1982) 127–129
- Klein, G.**, On spline functions and statistical regularization of ill-posed problems 5 (4) (1979) 259–264
- Kloek, T. and Lempers, F.B.**, Post-experiment introduction of constraints on parameters 1 (4) (1975) 235–237
- Kobayashi, H.**, see **Ikeuchi, M.** 5 (4) (1979) 247–258
- Konstantinov, M.M., Petkov, P.Hr. and Christov, N.D.**, Synthesis of linear systems with desired equivalent form 6 (1) (1980) 27–35
- Krishnaiah, U.A.**, Inverse linear multistep methods for the numerical solution of initial value problems of second order differential equations 7 (2) (1981) 111–114
- Krishnaiah, U.A.**, Adaptive methods for periodic initial value problems of second order differential equations 8 (2) (1982) 101–104
- Labrosse, G.**, see **Deville, M.** 8 (4) (1982) 293–304
- Laforgia, A.**, see **Giordano, C.** 9 (3) (1983) 221–228

- Lal, M. and Moffatt, D.**, Picard's successive approximation for non-linear two point boundary-value problems 8 (4) (1982) 233–236
- Lam, H.K.**, see **Bowman, K.O.** 10 (2) (1984) 229–244
- Lam, H.K.**, see **Bowman, K.O.** 10 (2) (1984) 245–254
- Laporte, G.**, The seriation problem and the travelling salesman problem 4 (4) (1978) 259–268
- Latouche, G.**, Optimal allocation of priority in a M/M/1 queue with two types of customers 1 (2) (1975) 85–91
- Laurie, D.P. and Rolfes, L.**, Computation of Gaussian quadrature rules from modified moments (Algorithm 15) 5 (3) (1979) 235–243
- Lazer, A.C., Leung, A.W. and Murio, D.A.**, Monotone scheme for finite difference equations concerning steady-state prey-predator interactions 8 (4) (1982) 243–252
- Lempers, F.B.**, see **Kloek, T.** 1 (4) (1975) 235–237
- Leroy, O.**, see **Poleunis, F.** 3 (3) (1977) 189–194
- Lether, F.G.**, On Birkhoff–Young quadrature of analytical functions 2 (2) (1976) 81–84
- Lether, F.G.**, Computation of double integrals over a triangle (Algorithm 7) 2 (3) (1976) 219–224
- Lether, F.G.**, Modified quadrature formulas for functions with nearby poles 3 (1) (1977) 3–9
- Lether, F.G.**, On the construction of Gauss–Legendre quadrature rules 4 (1) (1978) 47–52
- Lether, F.G.**, Some observations on Gauss–Legendre quadrature error estimates for analytic functions 7 (1) (1981) 63–66
- Leung, A.W.**, see **Lazer, A.C.** 8 (4) (1982) 243–252
- Levin, D.**, Numerical inversion of the Laplace transform by accelerating the convergence of Bromwick's integral 1 (4) (1975) 247–250
- Lewanowicz, S.**, Construction of a recurrence relation for modified moments 5 (3) (1979) 193–206
- Lipitakis, E.A.**, A normalized algorithm for the solution of sparse symmetric seven-diagonal linear systems of semi-bandwidth  $M$  and  $P$  (Algorithm 20) 7 (1) (1981) 77–84
- Lipitakis, E.A.**, Direct and approximate algorithmic methods for solving self-adjoint elliptic PDEs in three-space dimensions (Algorithm 24) 9 (2) (1983) 167–176
- Lipitakis, E.A.**, A normalized sparse linear equations solver (Algorithm 26) 9 (3) (1983) 287–298
- Litinsky, E.G.**, Best approximation and numerical methods in solution of differential equations 4 (2) (1978) 113–116
- Lo, C.Y.**, see **Givens, C.R.** 10 (1) (1984) 7–23
- Longman, I.M.**, Application of best rational function approximation for Laplace transform inversion 1 (1) (1975) 17–23
- Longman, I.M.**, Some aspects of the finite moment problem 10 (2) (1984) 141–146
- Lowery, D.**, see **Corliss, G.** 3 (4) (1977) 251–256
- Luke, Y.L.**, Chebyshev expansions and rational approximations 2 (2) (1976) 85–93
- Luke, Y.L.**, Computations of coefficient in the polynomials of Padé approximations by solving systems of linear equations 6 (3) (1980) 213–218
- Luke, Y.L.**, A note on evaluation of coefficients in the polynomials of Padé approximants by solving systems of linear equations 8 (2) (1982) 93–99
- Maas, C.**, A lower bound for the interval number of a graph 10 (1) (1984) 65–69
- MacLeod, A.J.**, A comparison of algorithms for polynomial interpolation 8 (4) (1982) 275–278
- Magnus, A.**, see **Hautot, A.** 5 (1) (1979) 3–15
- Magnus, A.**, see **Jones, W.B.** 6 (2) (1980) 105–119
- Mahoney, J.F. and Sivazlian, B.D.**, Partial fractions expansion: a review of computational methodology and efficiency 9 (3) (1983) 247–269
- Majumder, K.L.**, see **Bhattacharjee, G.P.** 4 (4) (1978) 295–300
- Malik, A.A.**, see **Genz, A.C.** 6 (4) (1980) 295–302
- Manicke, R.L.**, Unique solutions of *systems* of second-order nonlinear two-point boundary value problems 10 (2) (1984) 175–178

- Mar Quemada, M.**, see **Calvo, M.** 8 (4) (1982) 289–292
- Mattar, A.**, see **Abdrabbo, N.A.** 4 (2) (1978) 147–154
- Mavrides, L.P.**, Nonlinear programming with cumulatively bounded variables 5 (3) (1979) 163–169
- McCabe, J.H.**, Two-point Padé approximants and the quotient difference algorithm (Short Communication) 7 (2) (1981) 151–153
- McCabe, J.H.**, Perron fractions: an algorithm for computing the Padé table 7 (4) (1981) 271–275
- McCabe, J.H.**, On an asymptotic series and corresponding continued fraction for a gamma function ratio 9 (2) (1983) 125–130
- McGlinn, R.J.**, see **Kammler, D.W.** 4 (2) (1978) 167–173
- McKee, S.**, see **Andrade, C.** 3 (1) (1977) 11–14
- McKee, S.**, see **Gourlay, A.R.** 3 (3) (1977) 201–206
- McKee, S.**, see **Gourlay, A.R.** 5 (2) (1979) 103–110
- McRoberts, K.L.**, see **Bekiroglu, H.** 2 (3) (1976) 195–206
- Meek, D.S.**, see **Hoskins, W.D.** 3 (3) (1977) 211–215
- Meersman, R.**, A survey of techniques in applied computational complexity 1 (1) (1975) 39–46
- Meersman, R. de**, A method for least squares solution of systems with a cyclic rectangular coefficient matrix 1 (1) (1975) 51–54
- Meersman, R. de**, A derivation of the Levinson algorithm for solving linear systems with symmetric positive definite Toeplitz matrix (Short Communication) 2 (1) (1976) 63–65
- Meersman, R. de**, Least squares with non-linear equality constraints. Application to closing of balances 5 (4) (1979) 277–281
- Meersman, R. de and Siau, P.**, On updating formulas for least squares solutions and pseudo-inverses (Short Communication) 3 (4) (1977) 293–297
- Meeusen, W. and Cuyvers, L.**, Clique detection in directed graphs: a new algorithm (Algorithm 4) 1 (3) (1975) 185–203
- Meinardus, G.**, On the sequence of the powers of a given matrix (Short Communication) 7 (3) (1981) 225–226
- Meire, R. and Vanderbauwhede, A.**, A useful result for certain linear periodic ordinary differential equations 5 (1) (1979) 59–61
- Melka, R.F.**, The method of coordinate averaging 4 (1) (1978) 41–45
- Melka, R.F.**, Implicit perturbations 5 (3) (1979) 177–182
- Mettke, H.**, Convex cubic HERMITE-spline interpolation 9 (3) (1983) 205–211
- Mettke, H., Pfeifer, E. and Neuman, E.**, Quadratic spline interpolation with coinciding interpolation and spline grids 8 (1) (1982) 57–62
- Meulen, E.C. van der**, see **Beirlant, J.** 8 (3) (1982) 187–201
- Micchelli, C.A.**, see **Dahmen, W.** 10 (3) (1984) 255–273
- Mikloško, J.**, A recursive computation of the determinant of a pentadiagonal matrix 1 (2) (1975) 73–78
- Mikloško, J.**, An algorithm for calculating continued fractions 3 (4) (1977) 273–275
- Milovanović, G.V.**, see **Petković, M.S.** 9 (1) (1983) 65–69
- Mitchell, A.R.**, see **Herbst, B.M.** 9 (4) (1983) 377–389
- Mitchell, A.R. and Griffiths, D.F.**, Upwinding by Petrov–Galerkin methods in convection-diffusion problems 6 (3) (1980) 219–228
- Mizrahi, M.M.**, Generalized Hermite polynomials 1 (4) (1975) 273–277
- Moffatt, D.**, see **Lal, M.** 8 (4) (1982) 233–236
- Morris, J.L.**, see **Gourlay, A.R.** 4 (4) (1978) 269–273
- Mund, E.H., Hallet, P. and Hennart, J.P.**, An algorithm for the interpolation of functions using quintic splines (Algorithm 5) 1 (4) (1975) 279–288
- Murio, D.A.**, On the estimation of the boundary temperature on a sphere from measurements at its center 8 (2) (1982) 111–119
- Murio, D.A.**, see **Lazer, A.C.** 8 (4) (1982) 243–252

- Murphy, J.A. and O'Donohoe, M.R.**, A two-variable generalization of the Stieltjes-type continued fraction 4 (3) (1978) 181-190
- Murray, D.M.**, see **Dreyer, T.P.** 10 (1) (1984) 81- 91
- Murthy, D.N.P.**, see **Day, J.D.** 8 (1) (1982) 21- 27
- Murthy, D.N.P.**, see **Day, J.D.** 9 (3) (1983) 213-219
- Murty, B.S.N. and Husain, A.**, Orthogonality correction in the conjugate-gradient method 9 (4) (1983) 299-304
- Na, T.Y.**, see **Aziz, A.** 7 (2) (1981) 115-119
- Neittaanmäki, P. and Saranen, J.**, A modified least squares FE-method for ideal fluid flow problems 8 (3) (1982) 165-169
- Nerinx, D. and Haegemans, A.**, A comparison of non-linear equation solvers (Short Communication) 2 (2) (1976) 145-148
- Neta, B. and Ford, C.H.**, Families of methods for ordinary differential equations based on trigonometric polynomials 10 (1) (1984) 33- 38
- Neuman, E.**, Uniform approximation by some Hermite interpolating splines 4 (1) (1978) 7- 9
- Neuman, E.**, Moments and Fourier transforms of B-splines 7 (1) (1981) 51- 62
- Neumann, E.**, see **Mettke, H.** 8 (1) (1982) 57- 62
- Neuts, M.F.**, An annotated bibliography on computational probability. Part 1 (Bibliography 6) 3 (1) (1977) 53- 74
- Niethammer, W. and Schade, J.**, On a relaxed SOR-method applied to nonsymmetric linear systems 1 (3) (1975) 133-136
- Niki, H.**, see **Ikeuchi, M.** 5 (4) (1979) 247-258
- Niki, H., Ikeuchi, M. and Sawami, H.**, On the accelerated interactive method for estimating the optimum overrelaxation parameter 8 (4) (1982) 257-266
- Niki, H., Sawami, H., Ikeuchi, M. and Okamoto, N.**, The alpha interpolation method for the solution of an eigenvalue problem 8 (1) (1982) 15- 19
- Niki, H., Sawami, H. and Ondoh, T.**, Note on the non-stationary iterative method for the estimation of the optimum overrelaxation parameter 6 (2) (1980) 127-131
- Niznik, C.A.**, A numerical analysis of two point boundary value problem algorithms 6 (3) (1980) 201-211
- Njåstad, O.**, see **Jones, W.B.** 9 (2) (1983) 105-123
- Nourein, A.-W.M.**, An iteration formula for the simultaneous determination of the zeros of a polynomial 1 (4) (1975) 251-254
- Nourein, A.-W.M.**, An improvement on Nourein's method for the simultaneous determination of the zeroes of a polynomial (Algorithm 7) 3 (2) (1977) 109-112
- Nuttall, J.**, see **Baumel, R.T.** 7 (2) (1981) 135-140
- Odanaka, T.**, see **Sagara, N.** 8 (3) (1982) 209-212
- O'Donohoe, M.R.**, see **Murphy, J.A.** 4 (3) (1978) 181-190
- Ojika, T.**, see **Welsh, W.** 6 (2) (1980) 133-143
- Ojika, T.**, see **Welsh, W.** 6 (3) (1980) 183-187
- Okamoto, N.**, see **Niki, H.** 8 (1) (1982) 15- 19
- Okolie, S.O.**, see **Evans, D.J.** 8 (4) (1982) 237-242
- Oliver, J.**, On the sensitivity to rounding errors of Chebyshev series approximations 3 (2) (1977) 89- 98
- Oliver, J.**, Rounding error propagation in polynomial evaluation schemes 5 (2) (1979) 85- 97
- Oliver, J.**, On the application of Newbery's transformation to the Reinsch polynomial evaluation scheme 6 (1) (1980) 43- 52
- Oliver, J.**, An algorithm for numerical differentiation of a function of one real variable (Algorithm 17) 6 (2) (1980) 145-160
- Oliver, J.**, The selection of interpolation points in the numerical approximation of second and third order derivatives 6 (3) (1980) 229-239

- O'Malley, M.J.**, see **Brown, D.R.** 3 (4) (1977) 243–249
- Ondoh, T.**, see **Niki, H.** 6 (2) (1980) 127–131
- Ong, H.L.**, Finite element solution to the second order elliptic problems 10 (1) (1984) 39–43
- Ong, H.L.**, Fast approximate solution of large scale sparse linear systems 10 (1) (1984) 45–54
- O'Shea, B.B.**, Algorithms for the solution of systems of coupled second-order ordinary differential equations 4 (1) (1978) 11–17
- Ouellet, R.**, A general model for the measurement of traveller flows 8 (1) (1982) 49–50
- Paiano, G. and Picca, D.**, Integral transforms as computational tools in quantum mechanics 1 (2) (1975) 93–100
- Papamichael, N.**, see **Behforooz, G.H.** 6 (1) (1980) 59–65
- Papamichael, N. and Warby, M.K.**, Pole-type singularities and the numerical conformal mapping of double-connected domains 10 (1) (1984) 93–106
- Papamichael, N., Warby, M.K. and Hough, D.M.**, The determination of the poles of the mapping function and their use in numerical conformal mapping 9 (2) (1983) 155–166
- Papamichael, N. and Worsey, A.J.**, End conditions for improved cubic spline derivative approximations 7 (2) (1981) 101–109
- Papamichael, N. and Worsey, A.J.**, A cubic spline method for the solution of a linear fourth-order two-point boundary value problem 7 (3) (1981) 187–189
- Papatheodorou, T.S.**, Inverses for a class of banded matrices and applications to piecewise cubic approximation 8 (4) (1982) 285–288
- Papatheodorou, T.S. and Jesanis, M.E.**, Collocation methods for Volterra integrodifferential equations with singular kernels 6 (1) (1980) 3–8
- Paulik, A.**, On the optimal approximation of bounded linear functionals in Hilbert spaces with inner product invariant in rotation or translation 2 (4) (1976) 267–272
- Paulik, A.**, see **Kiessling, I.** 8 (3) (1982) 203–207
- Pescatore, C. and Cole, R.J.**, A method for predicting the stability characteristics of three-term homogeneous recurrence relations 6 (3) (1980) 197–199
- Peschanel, F.D.**, An approach to a consistent qualification of decision procedures in probabilistic information processing 1 (4) (1975) 239–245
- Petkov, P.Hr.**, see **Konstantinov, M.M.** 6 (1) (1980) 27–35
- Petković, M.S.**, On an iterative method for simultaneous inclusion of polynomial complex zeros 8 (1) (1982) 51–56
- Petković, M.S. and Milovanović, G.V.**, A note on some improvements of the simultaneous methods for determination of polynomial zeros 9 (1) (1983) 65–69
- Pfeifer, E.**, see **Mettke, H.** 8 (1) (1982) 57–62
- Phelps, III, J.S.**, see **Siewert, C.E.** 5 (2) (1979) 99–101
- Phelps, III, J.S. and Funcheon, M.J.**, Solutions of a transcendental equation basic to the study of composite media heat transfer 10 (2) (1984) 135–139
- Picca, D.**, Laplace-transform approach to the quantum Coulomb problem 2 (1) (1976) 49–54
- Piessens, R.**, A bibliography on numerical inversion of the Laplace transform and applications (Bibliography 1) 1 (2) (1975) 115–128
- Piessens, R.**, see **Branders, M.** 1 (1) (1975) 55–65
- Piessens, R.**, see **Dierckx, P.** 3 (3) (1977) 207–209
- Piessens, R.**, see **Doncker, E. de** 2 (4) (1976) 273–280
- Piessens, R. and Branders, M.**, Computation of oscillating integrals (Algorithm 2) 1 (3) (1975) 153–164
- Piessens, R. and Dang, N.D.P.**, A bibliography on numerical inversion of the Laplace transform and applications: A supplement (Bibliography 1A) 2 (3) (1976) 225–228
- Piessens, R. and Haegemans, A.**, Cubature formulas of degree eleven for symmetric planar regions 1 (2) (1975) 79–83

- Pindor, M.**, A simplified algorithm for calculating the Padé table derived from Baker and Longman schemes 2 (4) (1976) 255–257
- Poleunis, F. and Leroy, O.**, The construction of self-adjoint operators of Hill with periodic eigenfunctions 3 (3) (1977) 189–194
- Prevost, M.**, Padé-type approximants with orthogonal generating polynomials 9 (4) (1983) 333–346
- Price, Jr., T.E.**, The numerical approximation of analytic functions in the complex domain 6 (3) (1980) 177–182
- Pril, N. de**, see Gerber, H.U. 7 (4) (1981) 267–269
- Pril, N. de, D'Hooze, L. and Goovaerts, M.J.**, A bibliography on credibility theory and its applications (Bibliography 3) 2 (1) (1976) 55–62
- Prince, P.J.**, see Dormand, J.R. 6 (1) (1980) 19–26
- Prince, P.J. and Dormand, J.R.**, High order embedded Runge-Kutta formulae 7 (1) (1981) 67–75
- Pusterla, M.**, see Chisholm, J.S.R. 2 (2) (1976) 73–76
- 
- Rae, I.C.**, On Laplacian integrals with singular kernels (Short Communication) 8 (2) (1982) 141
- Rahman, M.**, On the numerical solution of the flow between a rotating and a stationary disk 4 (4) (1978) 289–293
- Rasmussen, H.**, see Forsyth, Jr., P. 6 (1) (1980) 37–42
- Rasmussen, H.**, see Greydanus, J. 9 (2) (1983) 97–103
- Rayski, J.**, A refined Born approximation 3 (1) (1977) 31–34
- Razzaghi, M.**, On the Jacobi condition for optimizing an engineering problem 2 (2) (1976) 77–80
- Razzaghi, M.**, On the pole assignment for single-input systems with time-delays 4 (2) (1978) 155–157
- Reddy, P.J., Zimmermann, H.-J. and Husain, A.**, Numerical experiments on DFP-method, a powerful function minimization technique 1 (4) (1975) 255–265
- Richardson, A.A.**, see Graney, L. 7 (4) (1981) 229–236
- Ridder, L. de**, see Dooren, P. van 2 (3) (1976) 207–217
- Ridder, R. de**, see Dyck, D. van 6 (1) (1980) 83–85
- Roberts, D.E.**, An analysis of double power series using rotationally covariant approximants 3 (4) (1977) 257–262
- Robinson, I.**, A comparison of numerical integration programs 5 (3) (1979) 207–223
- Rodabaugh, D.J. and Thompson, S.**, Low-order  $A_0$ -stable Adams-type correctors (Algorithm 14) 5 (3) (1979) 225–233
- Rolfes, L.**, see Laurie, D.P. 5 (3) (1979) 235–243
- Ronchetti, E.**, see Rousseeuw, P.J. 7 (3) (1981) 161–166
- Roose, D. and Doncker, E. de**, Automatic integration over a sphere (Algorithm 22) 7 (3) (1981) 203–224
- Roseman, J. and Zwas, G.**, On the correct numerical shock speed 2 (1) (1976) 3–6
- Rosen, J.B.**, see Ascher, U. 5 (3) (1979) 183–191
- Rousseeuw, P.J.**, Optimal search paths for random variables 9 (3) (1983) 279–286
- Rousseeuw, P.J. and Ronchetti, E.**, Influence curves of general statistics 7 (3) (1981) 161–166
- 
- Sablonnière, P.**, A new family of Padé-type approximants in  $\mathbb{R}^k$  9 (4) (1983) 347–359
- Sack, R.A.**, A numerical method for simultaneous convergence to the elements of a sequence 5 (1) (1979) 29–35
- Sagara, N. and Fukushima, M.**, A continuation method for solving separable nonlinear least squares problems 10 (2) (1984) 157–161
- Sagara, N., Odanaka, T. and Arimizu, T.**, Invariant imbedding and the identification of aquifer parameters 8 (3) (1982) 209–212
- Saldanha, J.S.V.**, see Jain, M.K. 4 (3) (1978) 199–206
- Salzer, H.E.**, A new form of trigonometric orthogonality and Gaussian-type quadrature 2 (4) (1976) 241–248

- Salzer, H.E.**, Inverse Laplace transforms of osculatory and hyperosculatory interpolation polynomials using “near-Chebyshev” nodes (Short Communication) 3 (3) (1977) 217
- Salzer, H.E.**, Minimal error difference formulas 3 (4) (1977) 263–267
- Salzer, H.E.**, Note on the Dočev–Grosswald asymptotic series for generalized Bessel polynomials 9 (2) (1983) 131–135
- Sánchez-Dehesa, J.**, On the conditions for a Hamiltonian matrix to have an eigenvalue density with some prescribed characteristics 2 (4) (1976) 249–254
- Sánchez-Dehesa, J.**, The asymptotical spectrum of Jacobi matrices 3 (3) (1977) 167–171
- Sánchez-Dehesa, J.**, The spectrum of Jacobi matrices in terms of its associated weight function 4 (4) (1978) 275–283
- Sánchez-Dehesa, J.**, On a general system of orthogonal  $q$ -polynomials 5 (1) (1979) 37–45
- Sánchez-Dehesa, J.**, Lanczos method of tridiagonalization, Jacobi matrices and physics 7 (4) (1981) 249–259
- Saranen, J.**, see **Neittaanmäki, P.** 8 (3) (1982) 165–169
- Sastry, S.S.**, Finite difference approximations to one-dimensional parabolic equations using a cubic spline technique 2 (1) (1976) 23–26
- Sawami, H.**, see **Ikeuchi, M.** 5 (4) (1979) 247–258
- Sawami, H.**, see **Niki, H.** 6 (2) (1980) 127–131
- Sawami, H.**, see **Niki, H.** 8 (1) (1982) 15–19
- Sawami, H.**, see **Niki, H.** 8 (4) (1982) 257–266
- Schade, J.**, see **Niethammer, W.** 1 (3) (1975) 133–136
- Schoombie, S.W.**, see **Herbst, B.M.** 9 (4) (1983) 377–389
- Schwierz, K.-P.**, see **Bierbaum, F.** 4 (1) (1978) 59–86
- Schwierz, K.-P.**, see **Garloff, J.** 6 (1) (1980) 67–79
- Segercrantz, J.**, On the existence of conjugate points for a constrained minimization problem (Letter) 10 (3) (1984) 385–386
- Shampine, L.F.**, Efficient use of implicit formulas with predictor-corrector error estimate 7 (1) (1981) 33–35
- Sharma, S.R.**, see **Chawla, M.M.** 10 (2) (1984) 163–168
- Shenton, L.R.**, see **Bowman, K.O.** 2 (4) (1976) 259–266
- Shenton, L.R.**, see **Bowman, K.O.** 4 (2) (1978) 105–111
- Shenton, L.R.**, see **Bowman, K.O.** 9 (1) (1983) 29–39
- Shenton, L.R.**, see **Bowman, K.O.** 10 (2) (1984) 229–244
- Shenton, L.R.**, see **Bowman, K.O.** 10 (2) (1984) 245–254
- Shenton, L.R.**, and **Bowman, K.O.**, A new algorithm for summing divergent series. Part 1: Basic theory and illustrations 2 (3) (1976) 151–167
- Shenton, L.R.** and **Bowman, K.O.**, A new algorithm for summing divergent series. Part 3: Applications 3 (1) (1977) 35–51
- Shenton, L.R.** and **Bowman, K.O.**, Generalized continued fractions and Whittaker’s approach 4 (1) (1978) 3–5
- Siau, P.**, see **Meersman, R. de** 3 (4) (1977) 293–297
- Sidi, A.**, Computation of the Chebyshev–Padé table 1 (2) (1975) 69–71
- Sidi, A.**, On the approximation of square-integrable functions by exponential series 1 (4) (1975) 229–234
- Sidi, A.**, Best rational function approximation to Laplace transform inversion using a window function 2 (3) (1976) 187–194
- Sidi, A.**, Some aspects of two-point Padé approximants 6 (1) (1980) 9–17
- Sidi, A.**, A new method for deriving Padé approximants for some hypergeometric functions 7 (1) (1981) 37–40
- Siemaszko, W.**, Branched continued fractions for double power series 6 (2) (1980) 121–125
- Siemaszko, W.**, Thiele-type branched continued fractions for two-variable functions 9 (2) (1983) 137–153
- Siewert, C.E.**, see **Burniston, E.E.** 4 (1) (1978) 37–39

- Siewert, C.E. and Burniston, E.E., An exact analytical solution of  $x \coth x = \alpha x^2 + 1$  2 (1) (1976) 19–21
- Siewert, C.E. and Phelps, III, J.S., On the solution of  $\tan(\xi - k\pi) + \tanh \xi = 0$  5 (2) (1979) 99–101
- Sitter, J. de, see Dyck, D. van 6 (1) (1980) 83–85
- Sivazlian, B.D., see Mahoney, J.F. 9 (3) (1983) 247–269
- Sloan, D.M. and Wilks, G., The Riccati transformation method and the computation of eigenvalues of complex linear differential systems 3 (3) (1977) 195–199
- Snyman, J.A., Continuous and discontinuous numerical solutions to the Troesch problem 5 (3) (1979) 171–175
- Sobhy, M.I., see Hosny, E.A. 8 (3) (1982) 159–164
- Sommeijer, B.P., see Houwen, P.J. van der 5 (2) (1979) 73–83
- Sommeijer, B.P., see Houwen, P.J. van der 10 (1) (1984) 55–63
- Sottas, G., Rational Runge–Kutta methods are not suitable for stiff systems of ODEs 10 (2) (1984) 169–174
- Spitzer, J.J., A numerically stable and efficient technique for the maintenance of positive definiteness in the Hessian for Newton-type methods 3 (2) (1977) 105–108
- Starkand, Y., Explicit formulas for matrix-valued Padé approximants 5 (1) (1979) 63–66
- Steihaug, T., see Axelsson, O. 4 (2) (1978) 129–142
- Stetter, H.J. and Überhuber, C.W., Proposal for population studies in numerical quadrature (Short Communication) 1 (3) (1975) 213–215
- Ström, T. and Svensson, P., On the determination of an orthogonal transformation 2 (1) (1976) 7–11
- Svensson, P., see Ström, T. 2 (1) (1976) 7–11
- Temme, N.M., On the expansion of confluent hypergeometric functions in terms of Bessel functions 7 (1) (1981) 27–32
- Teugels, J.L., A bibliography on semi-Markov processes (Bibliography 4) 2 (2) (1976) 125–144
- Thompson, S., The non-existence of certain  $A_0$ -stable Adams-type correctors 8 (3) (1982) 155–157
- Thompson, S., Stiffly stable fourth order Adams-type methods 8 (4) (1982) 253–256
- Thompson, S., see Rodabaugh, D.J. 5 (3) (1979) 225–233
- Thron, W.J., see Jones, W.B. 9 (2) (1983) 105–123
- Troesch, B.A., see Anglesio, J.D. 6 (2) (1980) 99–103
- Überhuber, C.W., see Stetter, H.J. 1 (3) (1975) 213–215
- Usmani, R.A., Smooth spline approximations for the solution of a boundary value problem with engineering applications 6 (2) (1980) 93–98
- Vanderbauwhede, A., see Meire, R. 5 (1) (1979) 59–61
- Vel, H. van de, Haar intervals for trigonometric polynomials 5 (4) (1979) 265–267
- Verwer, J.G., A class of stabilized three-step Runge–Kutta methods for the numerical integration of parabolic equations 3 (3) (1977) 155–166
- Verwer, J.G., see Houwen, P.J. van der 5 (2) (1979) 73–83
- Vinardi, G., see Baratella, P. 7 (2) (1981) 87–91
- Vries, H.B. de, A comparative study of ADI splitting methods for parabolic equations in two space dimensions 10 (2) (1984) 179–193
- Vries, H.B. de, see Houwen, P.J. van der 9 (1) (1983) 41–63
- Vylder, F. de, A new proof for a known result in risk theory 3 (4) (1977) 277–279
- Vylder, F. de and Goovaerts, M.J., Upper bounds for ruin probabilities in a new general risk model, by the martingales method 8 (2) (1982) 121–126
- Wadia, A.R., Note on the eigensolution of a homogeneous equation with semi-infinite domain (Short Communication) 6 (2) (1980) 161–165
- Waksman, Z., see Galperin, A. 7 (3) (1981) 173–179



- Walton, D.J., see Hoskins, W.D. 3 (3) (1977) 211–215
- Wambecq, A., Nonlinear methods in solving ordinary differential equations 2 (1) (1976) 27–33
- Wambecq, A., Plotting a function of two variables (Algorithm 11) 3 (4) (1977) 281–291
- Wambecq, A., Solution of the equations associated with rational Runge–Kutta methods of orders up to four 6 (4) (1980) 275–281
- Warby, M.K., see Papamichael, N. 9 (2) (1983) 155–166
- Warby, M.K., see Papamichael, N. 10 (1) (1984) 93–106
- Watson, L.T., Fixed points of  $C^2$  maps (Algorithm 13) 5 (2) (1979) 131–139
- Watson, L.T., Numerical study of porous channel flow in a rotating system by a homotopy method 7 (1) (1981) 21–26
- Watts, H.A., Starting step size for an ODE solver (Algorithm 25) 9 (2) (1983) 177–191
- Welsh, W. and Ojika, T., Multipoint boundary value problems with discontinuities, I: Algorithms and applications 6 (2) (1980) 133–143
- Welsh, W. and Ojika, T., Multipoint boundary value problems with discontinuities, II: Convergence of the initial value adjusting method 6 (3) (1980) 183–187
- Westreich, D. and Cahlon, B., Numerical methods for discontinuous linear two point boundary value problems 5 (2) (1979) 111–115
- Wilhelmsen, D.R., Degree two Gaussian cubatures in the plane 4 (3) (1978) 229–232
- Wilks, G., see Sloan, D.M. 3 (3) (1977) 195–199
- Wilson, K.B., see Barrodale, I. 4 (2) (1978) 159–166
- Wise, G.L. and Gallagher, N.C., A novel approach for the computation of orthonormal polynomial expansions 7 (3) (1981) 157–160
- Worsey, A.J. and Papamichael, N. 7 (2) (1981) 101–109
- Worsey, A.J., see Papamichael, N. 7 (3) (1981) 187–189
- Wu, C.L. and Adler, R.J., Nonlinear matrix algebra and engineering applications. Part 1: Theory and linear form matrix 1 (1) (1975) 25–37
- Wu, C.L. and Adler, R.J., Nonlinear matrix algebra and engineering applications. Part 2: Polynomial form matrices 2 (3) (1976) 169–185
- Wuytack, L., Numerical integration by using nonlinear techniques 1 (4) (1975) 267–272
- Wuytack, L., see Claessens, G. 5 (4) (1979) 283–289
- Zimmermann, H.-J., see Reddy, P.J. 1 (4) (1975) 255–265
- Zinober, A.S.I. and Huntley, E., The numerical solution of linear time-dependent partial differential equations by the Laplace transform and finite difference approximations 6 (4) (1980) 253–258
- Zwas, G., see Roseman, J. 2 (1) (1976) 3–6